

### Stillwater Insurance Roof Age (HO3/HO5 & Dwelling Fire) Roof Acceptance

## The following acceptance chart includes the Roof Cover options on Home and Dwelling Fire Quotes:

Roof Type	Eligibility	Max Roof Age	Additional Info
Composition 3 Tab Shingle	Yes	20 years	
Composition Architectural Shingle	Yes	20 years	
Composition - Impact Resist. Shingle	Yes	20 years	
Composition - Roll Roofing	No		
Synthetic Composite Roofing	Yes	20 years	
Built Up (hot mopped) with Gravel	Flat Roof: Only allowed in: AZ, CA, NM, NV, and (UT: Garfield, Iron, Kane, and Washington counties only)	10 years	The roof must have at least 1/4 inch of rise for every 12 inches of run.
Built Up (hot mopped) without Gravel	Flat Roof: Only allowed in: AZ, CA, NM, NV, and (UT: Garfield, Iron, Kane, and Washington counties only)	10 years	The roof must have at least 1/4 inch of rise for every 12 inches of run.
Metal - Standing Seam	Yes	None	
Metal - Copper Shingle	No		
Metal - Standing Seam Copper	No		
Metal - Corrugated Galvanized	No		

Roof Type	Eligibility	Max Roof Age	Additional Info
Metal - Painted Rib	Yes	None	
Metal Tile/Shake	Yes	None	
Tile-Clay	Yes	None	
Tile- Concrete	Yes	None	
Tile - Glazed	Yes	None	
Tile - Cement Fiber	Yes	None	
Roof Type	Eligibility	Max Roof Age	Additional Info
Membrane - EPDM or PVC  Vinyl Roof Types also include:  (TPO or CPA Membrane)	Flat Roof: Only allowed in: AR, AZ, CA, CO, HI, ID, IL, IN, IA, KY, ME, MS, MO, MT, NE, NV, NM, ND, OH, OK, OR, PA, SD, TN, UT, VT, WA, WV, WI, WY	10 years	<ul> <li>The roof must have at least 1/4 inch of rise for every 12 inches of run.</li> <li>TPO – Thermoplastic Polyolefin is an acceptable Membrane Roof Type.</li> </ul>
Wood Shingles or Shakes	Only in Oregon & Washington	20 years	уре.
Wood Shingles/Shakes - Deco Ptrn.	Only in Oregon & Washington	20 years	
Slate	Yes	None	
Sprayed Polyurethane Foam (SPF)	Flat Roof: Only allowed in: AR, AZ, CA, CO, HI, ID, IL, IN, IA, KY, ME, MS, MO, MT, NE, NV, NM, ND, OH, OK, OR, PA, SD, TN, UT, VT, WA, WV, WI, WY	10 years	<ul> <li>The roof must have at least 1/4 inch of rise for every 12 inches of run.</li> <li>If the roof is composed of spray polyurethane, it must have been applied within the last 10 years.</li> </ul>
Solar Shingle System	Yes	20 years	

#### **Mid-Term Roof Updates**

- If the roof is updated, please email proof to <u>underwriting@stillwater.com</u>.
- We require a letter or work order from the contractor that includes the roof cover type, and date of installation.
- Requires a complete roof update/replacement.


**See next page for New Business Quote – Roof information.** 

# The Roof Cover is on the **Primary Information** entry screen in **360Value**®

360Value® will
pre-populate the Roof
Cover based on Public
Record information, but the
Roof Cover can be
changed on this screen:


A warning message will appear at the top of the quote screen if an ineligible roof type is selected.

### **Roof Selection**



### **Basic Home Information**

The current selection for Roof Materials, Metal - Copper Shingle is ineligible. If Roof Materials is incorrect, please open Verisk 360Value by clicking Customize Replacement Cost below.



### **Roof Cover Type Photo Types:**

